


INDEX MAPS.


K

T.5N R.7W 2nd Mer.

Meandering 34



T.6N R.7W 2nd Mer.



The figures on the lines refer to the page.

Township N. 6. North of Range. N. 7 West of the 2nd Mer. Sec.²
Ch. M.

South Boundary. Friday Feb. 7. 1811.

East On a Random line On the South Boundary of la. 31. T. 6. N. 7. W.
25.00 At the fence. 50 ch. wide,
40.00 Set the temp^l 1/4 ea post in the fence.
80.00 Set a temp^l post for the cor of la. 31. & 32.

East On a Random line On the South Boundary of la. 32.
T. 6. N. 7. W.
40.00 Set a 1/4 ea post temp^l
80.00 Set a temp^l post for the cor of la. 32 & 33.

East On a Random line On the South Boundary of la. 33.
T. 6. N. 7. W.
40.00 Set a 1/4 ea post temp^l
80.00 Set a temp^l post for the cor of la. 33 & 34.

East On a Random line On the South Boundary of la. 34.
T. 6. N. 7. W.
40.00 Set a temp^l 1/4 ea post
80.00 Set a temp^l post for the cor of la. 34 & 35.

East On a Random line On the South Boundary of la. 35
40.00 Set a temp^l 1/4 ea post
80.00 " " " post for the cor of la. 35 & 36.

East On a Random line On the South Boundary of la. 36.
40.00 Set a temp^l 1/4 ea post
80.00 Cor of T. 5 N. 7. W. Feb. 7. 1811.

West On the true line On the South Boundary of la. 36. T. 6. N. 7. W.
From the cor of la. 31. 5 & 6 N. 7. W.
Saddapens 20 in dir. 64 runs in the line.
38.50 To a Pond. 300 mile m. n.

T. N. 6. N. R. N. 7 W. 2nd (Mer. And.)

40.00 Dr. Lu. post or cor in the pond.
 44.20 To a W Oak. 20 in. diam. stands in the line
 56.78 To B. Water creek. 100 links wide, corner S.
 78.00 " " " " " " " " N.W.
 Offset North 2.57 links sub; West 200 links to the line
 at B. Water
 80.00 Cor of Sec. 35 & 36. in B. Water.

West On the true line On the South Boundary of Sec. 35,
 T. 6. N. R. 7 W. thence
 North 9.00 ch. thence West 10.00 ch. thence South
 6.00 ch. thence West 5.00 ch. thence South 3.00 ch. to
 the line 100 links West of B. Water.
 34.28 To a Hickory 10 in. diam. in the line.
 40.00 A Hickory 3 in. diam. stands for the cor of 74 to.
 55.00 To a Marsh. or pond 20.00 ch. wide.
 80.00 Set apart for the cor of Sec. 34 & 35 from which
 Hickory 18 in. diam. bears N 53 W. 134 links sub; & 5
 W Oak. 18, " " N 16 E. 262 " "
 Sunde 2nd rate timber Oak, &c.

West On the true line On the South Boundary of Sec. 34
 T. 6. N. R. 7 W.
 10.00 To a Prairie 18. ch. wide " "
 28.40 " " W. Oak. 18 in. diam. in the line
 40.00 Set apart for the cor of Sec. 33 & 34 from which an
 Oak. 18 in. diam. bears S 43 W. 38 links sub; & 5
 Hickory 20 " " " N 65 E. 25 " "
 40.95 To an Oak 23 in. diam. stands in the line.
 80.00 Set apart for the cor of Sec. 33 & 34 from which an
 Elm 15 in. diam. bears N 76 W. 14 links sub; & 5
 Do 12 " " " N 35 E. 24
 Cor. on land.

45

T. N. 6. N.R. N. of W. 2nd Mer. Ind.

West Out the South Boundary of Sec. 33. (Tow line)
T. 6. N.R. 7 W.

5.00 To an Ash 12 in dia. in the line.

21.85 To an Ash 20 " " " "

40.00 Set a post from which
Ash 20 in dia. bears S 56 W. 6 links north; &
Maple 30 " " " N 44 E. 18. "

44.00 Cross the Swamp

54.45 To an Oak 24 in dia. in the line.

70.00 To a Prairie 12 ch. wide.

80.00 Set a post for the cor of Sec. 32 & 33 from which
Elm 12 in dia. bears N 76 W. 6 links north; &
Do 30 " " " N. E. 170 "

Land for 1/2 mile Maple Swamp. Last 1/2 Oak land

West Out the line Out the South Boundary of Sec. 32.
T. 6. N.R. 7 W.

5.64 To a Hick 18 in dia. in the line.

40.00 Set a post from which
Hick 15 in dia. bears N 63 E. 19 links north; &
Do 15 " " " S 80 W. 44. "

43.80 To an Oak 36 in dia. stands in the line.

75.00 To a Swamp.

80.00 Set a post for the cor of Sec. 31 & 32. in the Swamp.

West Out the line Out the South Boundary of Sec. 31.
T. 6. N.R. 7 W.

6.00 To Timber Swamp

13.50 " a stream 50 links wide, bears S.

18.50 To open Swamp

40.00 Set a post in the Edge of any land. from which
an Elm 15 in dia. bears S 5 E. 70 links north;

65.10 Intersect the Range line at the post cor of S. 5 & 6 N.

T. N. C. M. R. N. of N. 2nd Mer. Ind.

47

40.00 Set the 1st sap post in prairie
80.00 Set a post for the cor of Sec. 13 & 24 in the prairie

North On the East Boundary of Sec. 13 T. 6 N. R. 7 W.
33.83 To a N Oak. 24 in. diam. Stands in the line.
40.00 Set a 1st sap post from which
N Oak. 20 in. diam. bears S 72¹/₂ E 150 links arch;
45.00 Left the prairie
53.44 To a N Oak. — in diam. in the line.
70.00 To a Pine N. Oak. side,
80.00 Past cor of Sec. 12 & 13. in the pond.
Sunde mt prairie.

North On the East side of Sec. 12 T. 6 N. R. 7 W.
1.00 Left the pond.
33.85 To a N Oak. 24 in. diam. Stands in the line.
40.00 Set a 1st sap post from which
N Oak. 18 in. diam. bears N 50 E. 30 links arch; &
N Oak. 20 " " " S 65 W. 31 " "
57.85 To a N Oak. 24 in. diam. Stands in the line.
80.00 Set a post for the cor of Sec. 1 & 12 from which
N Oak. 24 in. diam. bears S 57¹/₂ W. 11 links arch; &
N Oak. 20 " " " N 45 W. 5 " "
Good Oak Sunde.

North On the East Boundary of Sec. 1 T. 6 N. R. 7 W.
2.61 To a N Oak. 10 in. diam. Stands in the line
11.00 To a Pine
40.00 Gr. Sep. cor. in the pond.
80.00 Cor of S. 6 & 7 N. 7 W. in pond.
Surveyed by Sullivan & Co.

North Boundary

T. N. C. S. R. No 7 W. 2nd Mer. Ind.

West Quat Random line On the South Boundary of Twp. 36
T. 7. N. R. 7 W.

40.00 Set a 7/8 in. timber post

80.00 Set a post for the cor of Twp. 35 & 36. (timber) in the East side of prairie

West Quat Random line On the South Boundary of Twp. 35.
T. 7. N. R. 7 W.

40.00 Set a 7/8 in. post (timber)

80.00 Set a timber post for the cor of Twp. 34 & 35. West side of prairie

West Quat Random line On the South Boundary of Twp. 34.
T. 7. N. R. No 7 W.

40.00 Set a 7/8 in. post on the East side of prairie

80.00 Set a timber post for the cor of Twp. 33 & 34

West Quat Random line On the South Boundary of Twp. 33.
T. 7. N. R. 7 W.

40.00 Set a 7/8 in. post (timber)

80.00 Set a timber post on the West side of prairie for the cor. of Twp. 32 & 33

West Quat Random line On the South Boundary of Twp. 32. T. 7
N. R. 7 W.

40.00 Set a timber 7/8 in. post

80.00 Set a timber post for the cor of Twp. 31 & 32 Good White Oak
Lund.

West Quat Random line On the South Boundary of Twp. 31.
T. 7. N. R. 7 W. Through a large prairie.

40.00 Set the timber 7/8 in. post on prairie

60.00 Set a Road corner T W

78.50 Set 200 links North of Harris cor to Towns. 6 & 7.
Rungs 7 & 8. W; the flat stands on the line. April 21.

Corrected & marked the line East:-

East On the true line On the South Boundary of Sec. 31 T. 7 N. R. 7 W
38.50 Set the trip 1/4 1/4 post on the true line in the plains. No timber.
78.50 Set the trip 1/4 1/4 post on the true line for the cor of Sec. 31 & 32 from
which Hick 14 in diam. trees. N 71 E. 18 links each;
V. 9 Oak. 24 " " N 22 W. 61 " "

East On the true line On the South Boundary of Sec. 32 T. 7 N. R. 7 W
40.00 Set the trip 1/4 1/4 post on the true line from which
Hick 12 in. diam. trees. N 6 E. 16 links each; V. 7
Oak. 12 " " N 62 E. 29 " "
80.00 Set a post for the cor of Sec. 32 & 33 on the true line from which
an Oak. 24 in diam. trees. N 33 W. 87 links each; V.
Oak. 14 " " S 45 W. 75 " "

East On the true line On the South Boundary of Sec. 33 T. 7 N. R. 7 W
40.00 Set the trip 1/4 1/4 post on the true line from which
Oak. 18 in. diam. trees. N 80 W. 18 links each; V. 9
Oak. 10 " " S 16 E. 20 " "
80.00 Set a post for the cor of Sec. 33 & 34 on the true line.
In the prairie

East On the true line On the South Boundary of Sec. 34
T. 7 N. R. 7 W
40.00 Set the trip 1/4 1/4 post on the true line from which
Oak 12 in. diam. trees. S 8 E. 13 links each; V. 8
Oak. 12 " " N 22 W. 10 " "
80.00 Set a post for the cor of Sec. 34 & 35 from which
Hick 10 in diam. trees. S 81 E. 46 links each; V. 9
Oak. 30 " " N 89 W. 70 " "

T. N. 6. S. R. N. 77. 2nd (New. Ind.)

East	On the true line On the South Boundary of Pa. 35, T. 7. N. 7. W.
40.00	Set a 14 ft post on the true line in prairie; 14 links near.
80.00	Set a post on the true line for the cor of Pa. 35 & 36. From which, W Oak. 24 in. diam. bears N 22 W. 45 links due; 1/2 under Heiky 12 " " S 70 E 47 " "
East	On the true line On the South Boundary of Pa. 36 T. 7. N. 7. W.
40.00	Set a 14 ft. timber post on the true line from which, W Oak. 18 in. diam. bears S 8 E 75 links due; 1/2 no other true near.
80.00	To Iron cor. Intersect the Random line at the timber post set for the cor of T. 6 & 7. S. R. 6 & 7 W. From which, Heiky 10 in. diam. bears N 65 W 8 links due; 1/2 under No. 12 " " S 72 E 28 " "
Surveyed by Alexander Holman D.S.	
North	On the East Boundary of Pa. 36. T. 6. N. 8. W.
40.00	A Heiky 18 in. diam. stands for the cor of 14 ft.
80.00	Set a post for the cor of Pa. 25 & 36. From which, Heiky 18 in. diam. bears N 74 W. 11 links due; 1/2 W Oak. 20 " " " S 71 W 95 " " Grade 2 nd rate Timber Oak 1/2
North	On the East Boundary of Pa. 25 T. 6. N. 8. W.
18.00	To a Prairie 22 links near.
40.00	Set a 14 ft post from which, W Oak. 18 in. diam. bears N 2 E 111 links due; 1/2 No. 20 " " " S 79 W 133 " "
80.00	Set a post for the cor of Pa. 24 & 25. From which, W Oak. 30 in. diam. bears N 19 W. 56 links due; 1/2 W Oak 36 " " " S 79 W 68 " "

Over 2nd rate Oak Lands.

North
40.00 On the East Boundary of T. 24. T. 6. N.R. 8 W
Get the 1/4 section in the Edge of the prairie from which
a Neely 24 in. dia. beam 935 W. 86 links north;
55.00 To a Brook 10 links wide, Corner S.E.
80.00 Get a post for the cor. of sec. 13 & 24 in prairie
Sands same as last mile; Timber Oak &c.

North
13.00 On the East Boundary of T. 13. T. 6. N.R. 8 W
Left Prairie
40.00 Get a post from which
Neely 14 in. dia. beam S 14 E. 24 links north; Va
10. 18 " " " N 61 W 63 " "
80.00 Get a post for the cor. of sec. 12 & 13 from which,
B Oak. 24 in. dia. beam S 89 E. 43 links north; V₃
W Oak. 28 " " " S 48 W 53 " "
Sands as before.

North
40.00 On the East Boundary of T. 12. T. 6. N.R. 8 W
Get a post in the edge of a prairie from which a
B Oak. 12 in. dia. beam. S 13 W. 70 links north; and on
10. 14 " " " S 40 E. 107 " "
80.00 Get a post for the cor. of sec. 1 & 12 in the prairie
Sands 2nd rate;

North
17.45 On the East Boundary of T. 1. T. 6. N.R. 8 W
17.85 of Neely at the road.
To a Brook 20 links wide, Corner E.
40.00 Get a post from which a
B Oak. 12 in. dia. beam. S 27 E. 75 links north; V₃
Neely 20 " " " N 44 W. 115 " "
46.00 To the prairie; Live Trees on the Edge of the prairie
To the End of the line.

T. N. C. N. R. N. 7th. 2nd. Mr. Ind.

66.40 To a W Oak. 18 in. diam. in the line
80.00 Post cor. of T. 6. 47. N. 77 W.

Subdivisions

North Between Twp. 35 & 36. T. 6. N. R. 8 W

40.00 Set the 1/4 section post in prairie

80.00 Set a post for the cor. of Twp. 25, 26. 35 & 36 in prairie
Land all prairie

East On a Random line between Twp. 25 & 36. T. 6. N. R. 8 W

12.00 To the woods land.

40.00 Set a temporary 1/4 section post

80.00 Intersub the East Boundary of Twp. 25 & 36

West On the line between Twp. 25 & 36. T. 6. N. R. 8 W

40.00 Set the temporary 1/4 section post at cor. with the line line from
which, West 18 in. diam. line S 17 N. 25 miles west;
under W Oak. — " " N 87 W. 74 "

80.00 To the post cor. of Twp. 25, 26. 35 & 36.

North Between Twp. 25 & 26. T. 6. N. R. 8 W

28.30 To a Hick 20 in. diam. in the line at the woods land.

40.00 Set a 1/4 section post from which,
West 10 in. diam. line. N 35 W. 120 miles west; to
W Oak. 30 " " N 81 E. 138 " "

52.80 To a W Oak. 15 in. diam. in the line.

80.00 Set a post for the cor. of Twp. 23, 24, 25 & 26 from which,
West 24 in. diam. line. N 74 E. 66 miles west; to
W Oak. 14 " " " S 48 E. 134 " "
Middle state Oak. Land.

East On a Random line between Twp. 24 & 25. T. 6. N. R. 8 W

40.00 Set a temporary 1/4 section post.

T. N. 6 N. R. 21. 7 W. 2nd Mer. Ind.

80.50 Interest the East Boundary 100 links South of the post cor.
of Sec. 24 & 25.

Land 2nd rate; Timber Oak.

West On the true line between Sec. 24 & 25 T. 6 N. R. 21

40.25 Set the timber 7/8 of post at an arch on the true line from
which W Oak 18 in. diam. bears S 49 E 47 links arch; 1/2

W Oak R. 3 " " " S 87 W 32 " "

80.50 To the post cor of Sec. 23, 24, 25 & 26.

North Return Sec. 23 & 24 T. 6 N. R. 21

11.48 To a W Oak 18 in. diam. on the line.

40.00 Set a 7/8 of post from which

a W Oak 30 in. diam. bears S 84 E 38 links arch;

under W Oak 15 " " " S 77 W 59 " "

42.88 To a W Oak 18 in. diam. on the line.

80.00 Set a post for the cor of Sec. 13, 14, 23 & 24 from which
W Oak 20 in. diam. bears N 36 E 33 links arch; 1/2

W Oak 18 " " " S 9 E 65 " "

Land 2nd rate; Timber Oak.

East On a Random line between Sec. 13 & 24 T. 6 N. R. 21

40.00 Set a timber 7/8 of post

69.00 Enter prairie

80.00 Interest the East Boundary in prairie at the cor of
Sec. 13 & 24

Under rate Oak Land.

West On the true line between Sec. 13 & 24 T. 6 N. R. 21

40.00 Set the timber 7/8 of post at an arch on the true line from
which W Oak 20 in. diam. bears N 49 E 32 the dist.

under W Oak 18 " " " S 78 W 43 " "

80.00 To the post cor of Sec. 13, 14, 23 & 24

These two pages were entered here by mistake.
They belong to T. 6 N. R. 21.

T. N. 6' S. R. N. 7' W. 2nd Mer. Ind.

Subdivisions

North	Between Sec 35 & 36 T. 6. N. R. 7 W
2.50	To the Bank of B. Water
24.87	To a heavy 18 in. diam. stand with line.
40.00	Set a 7 th support from which
	Heavy 18 in. diam. beam. S 57 E. 55 links each; 8
	No. 14 " " North 53 " "
44.50	To a Prairie 20.00 ch (miles)
80.00	Set a post for the cor. of Sec 25, 26, 35 & 36 from which
	Elm 14 in. diam. beam N 53 E. 48 links each; 8
	No. 20 " " S 10 E. 12 " "
	Stand 2 nd rate; Heavy 8
<hr/>	
East	On a random line between Sec 25 & 36 T. 6. N. R. 7 W
27.60	To B. Water 100 links wide, Corner S.
40.00	Set a timber 7 th support
	Stand last to Good bottom land. Timber Sugar 6
79.00	Enter at the Range line at the cor. of Sec 25 & 36.
<hr/>	
West	On the line between Sec 25 & 36 T. 6. N. R. 7 W
39.50	Set the timber 7 th support at the ar. ditch on the line
	It is a maple 20 in. diam. beam
79.00	Set the post on of Sec 25, 26, 35 & 36
<hr/>	
North	Between Sec 25 & 26 T. 6. N. R. 7 W. July 12. 1811
22.00	To Prairie. 8. ch. wide,
30.25	To an Elm. 24 in. diam. in the line
40.00	Set a 7 th support from which
	Oak 20 in. diam. beam N 44 W. 17 links each; 8
	No. 15 " " N 85 E. 34 " "
43.94	To an Oak. 24 in. diam. stand in the line.
80.00	Set a post for the cor. of Sec 23, 24, 25 & 26 from which
	W Oak. 24 in. diam. beam N 85 E. 95 links each; 8

T. N. 6. N. R. N. 7 W. 2nd Mer. Ind. 55

W. Oak. 36 in diam. bears N 83 W. 40 links north;

East On a Random line between Sec. 25 & 24 T. 6. N. R. 7 W.
40.00 Set a temporary 7th support.
4050 To B. Water 300 links north, corner of
79.00 Into lot the East Boundary at the post cor. of 2024 & 25
Goode Oak Land.

West On the line between Sec. 24 & 25. T. 6. N. R. 7 W.
39.50 Set the temporary 7th support at an such as the line from
which a W. Oak. 24 in diam. bears N 6 E. 16 links north
under Mulberry 12 " " S 26 E. 34 " "
79.00 To the post cor. of 2023, 24, 25 & 26.

North Between Sec. 23 & 24 T. 6. N. R. 7 W. July 14. 1811.
22.66 To a B. Oak. 36 in diam. in the line.
40.00 Set a 7th support from which an
Elev. 12 in diam. bears N 22 W. 8 links north; & a
W. Oak. 20 " " S 22 E. 55 " "
80.00 Set a post for the cor. of Sec. 13, 14, 23 & 24 from which,
North 14 in diam. bears N 87 W. 42 links north; & a
W. Oak. 20 " " S 86 E. 49 " "
Over 2nd rate Oak. land.

East On a Random line between Sec. 13 & 24 T. 6. N. R. 7 W.
16.00 To B. Water 150 links north, corner of
40.00 Set a temporary 7th support
55.00 Harris to the end of the line.
79.80 Into lot the Mangrove or East Boundary at the post
Over good Oak. land

West On the line between Sec. 13 & 24 T. 6. N. R. 7 W.
39.90 P. for corner on an Elev. 18 in diam. in the line.

T. N. 6. N.R. N. of W. 2nd (Mn. Ind.)

79.80 To the post car of car. 13.14 23 & 24

North Return Sur 13 & 14. T. 6. N.R. 7 W

8.00 To a B. Oak 36 in dia. Stand in the line

40.00 A Hickory 18 in dia. Stand for the car of the car.

42.50 To a Hickory 15 in dia. Stand in the line.

53.00 To B. Map 450 miles Cones S.E.

73.00 " Hickory 24 in dia. in the line.

80.00 Set apart for the car of 11.12.13 & 14 from which
B. Oak. 20 in dia. trees 15 E. 10 miles north & 1/2

Q. 15 " " " N 83 W 19, "

Over good Oak Stand.

East Return Sur 12 & 13. T. 6. N.R. 7 W.

40.00 Set apart the post from which an

Edw. 12 in dia. trees N 61 E. 23 miles north & 1/2

B. Oak. 20 " " " N 6 E. 19 " "

67.00 To a Pond.

80.00 Intersub the Mangeline or East Boundary with pond
Over mt land

North Return Sur 11 & 12. T. 6. N.R. 7 W

8.00 To an Edw. 30 in dia. in the line.

39.00 To a Pond 8.00 ch (mide)

40.00 To the car in the Pond.

80.00 Set apart for the car of car. 1.2.11 & 12 from which

W. Oak. 18 in dia. trees N 76 W 40 miles north & 1/2

Q. 22 " " " N 18 E. 57, "

Over mt land.

East On a Random line between Sur 1 & 12. T. 6. N.R. 7 W

40.00 Set the timber in paper

80.00 Intersub the East Boundary at the end of Sur. 1 & 12

T. N. C. M. R. N. of W. 2nd Mer. Ind. 57

Over 2nd rate land; Timber Oak.

West
40.00 Cut the line between Sec. 1 & 2 T. 6. N. R. 7 W.
Set the township line at ar. dist. on the line from which,
N. 15 mi. dist. from. N 81 E. 37 miles each; & a
Co. 12 " " S 68 E. 35 " "
80.00 Set the post in of cor. 1 & 2. 11 & 12

North
2.94 Return Sec. 1 & 2 T. 6. N. R. 7 W.
To a N. 15 mi. dist. stands in the line.
33.10 N. Oak. 18 mi. dist. stands in the line.
40.00 Set a post from which,
N. Oak. 24 mi. dist. from. N 87 E. 34 miles each; & a
N. Oak. 20 " " S 56 W. 30 " "
An Elm. 10 mi. dist. stands in the line.
71.00 To Prairie
80.00 Set a post for the cor. 1 & 2 in Prairie

Notes (by the Chief Clerk)

Mr. Sullivan surveyed this Township before the North Boundary was run, and set township posts at the distance of 80 ch. from the last cor. corner. Mrs. Harris afterwards measured three miles from the 1st cor. to the intersections of the N. Boundary & established corners at the intersections. The following are his field notes.

North
29.23 From the 1st cor. between Sec. 1 & 2 T. 6. N. R. 7 W.
Set out the East & West line on North ^{Boundary} 107 miles West
of the post in of cor. 35 & 36. T. 7. N. R. 7 W. and set a
post for the cor. 1 & 2 from which,
N. Oak. 27 mi. dist. from. S 30 W. 200 miles each; & a
Co. 18 " " N 25 W. 53 " "

T. No 6. N.R. No 7 N. 2nd Mer. Ind.

North Return Lat 34 & 35 T. 6. N.R. 7 N.
 11.50 To a Hick 20 in. diam. in the line.
 22.00 To a Prairie 16 ch. mds.
 40.00 Set a 1/4 in. support from which
 41 Oak. 4 in. diam. trees. N 45 E. 28 links arch
 51.29 To a Hick 24 in. diam. in the line.
 58.00 To a Prairie 20. ch. mds.
 80.00 Set a post for the cross lat. 26, 27, 34 & 35. from which
 41 Oak. 5 in. diam. trees. S 89 W. 57 links arch; 49
 43 Oak. 4 " " " S 20 E. 58 " "
 Over 2nd rate Oak Land.

East On a line between Lat. 26 & 35 T. 6. N.R. 7 N.
 18.00 Cross Prairie
 40.00 Set a temp. 1/4 in. support
 48.00 To a Prairie 10 ch. mds.
 79.64 Intersect the N 45 line 30 links North of the post cross lat.
 25, 26, 35 & 36
 Under 2nd rate; Timber Oak &c.

West On the line between Lat. 26 & 35 T. 6. N.R. 7 N.
 39.87 Set the temp. 1/4 in. support on the line from which an
 Elm. 20 in. diam. trees. N 32 W. 16 links arch; 49
 43 Oak. 30 " " " N 75 E. 33 " "
 79.64 To the post cross lat. 26, 27, 34 & 35.

North Return Lat. 26 & 27 T. 6. N.R. 7 N.
 25.00 Left Prairie
 31.83 To an Oak. 20 in. diam. stands in the line.
 40.00 Set a 1/4 in. support from which an
 Oak. 14 in. diam. trees. S 28 W. 30 links arch; 49
 Do. 10 " " " S 31 E. 50 " "
 63.46 To a 11 Oak 22 in. diam. in the line.

80.00 Set a post for the cor. of lat 22, 23, 26 & 27 from which an
Elev. 14 in. diam. beam. 8277.22 units arch; and a
W Oak. 18 " " " 11377.36 " "
Lands mt.

East Chas. Candem line between Lat 23 & 26. J. C. S. R. 77

40.00 Own map in amp.

80.70 Set a post for the S & S line 5 miles South of the post. cor. of lat.
23, 24, 25 & 26. : Own 2nd rate Oak Land.

West Cath. line between Lat. 23 & 26. J. C. S. R. 77

40.35 A Hecker 18 in. diam. Stand as for the cor. of 24, 25.

80.70 To the post cor. of lat. 22, 23, 26 & 27.

North Return Lat 22 & 23. J. C. S. R. 77

82 To an Elev. 10 in diam. Stand as in the line.

40.00 Set a post for the cor. of lat. 22, 23, 26 & 27 from which,
W Oak. 10 in diam. beam. 88077.28 units arch; & 9
Do. 12 " " " 1141 E. 30 " "

45.00 To Train 23 ch. mns.

68.70 To a W Oak. 24 in diam. in the line.

80.00 Set a post for the cor. of lat. 14, 15, 22 & 23 from which,
Hecker 15 in diam. beam. 81677.29 units arch; & 9
Do. 14 " " " 1143 E. 98 " "
Lands mt & 2nd rate.

East Chas. Candem line between Lat 14 & 23. J. C. S. R. 77

40.00 Set a temp. 7/4 post

78.05 Set a post for the S & S line 74 units North of the post cor. of lat.
13, 14, 23 & 24
Lands 2nd rate; Timber Oak.

West Cath. line between Lat. 14 & 23. J. C. S. R. 77

T. N. C. N.R. N. 7 N 2nd Mer. Sec. 9

39.00⁷ Let the trump 7/4 to post at an arch in the line this from which
 as Elw. 20 in clear. from. N 19 E. 82 bushy arch: 8³
 10. 10. " " 853 E. 67 " "
 78.05 To the post cor of sec. 22, 23, 14 & 15.

North Return Sec. 14 & 15 T. C. N.R. 7 N.
 7.40 To a tree 110 in clear. stands in the line.
 20.00 To a swamp.
 40.00 In sw. cor in Swamp
 80.00 Cor of sec. 10, 11, 14 & 15 in the Swamp
 Sounded all Swamp.

East Return Sec. 11 & 14 T. C. N.R. 7 N.
 40.00 Let the trump 7/4 to post in the marsh.
 42.00 To Woods lands but not.
 80.00 Turned at the N 83 line at the post cor of sec. 11, 12, 13 & 14

West On the line between Sec. 11 & 14 T. C. N.R. 7 N.
 40.00 Let the trump 7/4 to post in the marsh.
 80.00 To the post cor of sec. 10, 11, 14 & 15.

North Return Sec. 10 & 11 T. C. N.R. 7 N.
 40.00 Let the 7/4 to post in the marsh.
 80.00 Let the post cor of sec. 2, 3, 10 & 11
 Sounded all marsh.

East On a Random line between Sec. 2 & 11 T. C. N.R. 7 N.
 18.00 Left the marsh.
 40.00 Let the trump 7/4 to post.
 80.00 Turned at the N 83 line at the post cor of sec. 1, 2, 11 & 12
 Sounded 2nd rate.

West On the line between Sec. 2 & 11 T. C. N.R. 7 N.

40.00 An Elm 18 in diam. Stands on the line for p. to cor.
80.00 To the post cor off lws. 2, 3, 10 & 11.

North Return Jul. 2 & 3. T. C. N. R. J. W.
33.00 Left the marsh
37.83 To an Elm 30 in diam. Stands in the line
40.00 Set a 7/4 post from which an
Elm. 10 in diam. bears S 8 E. 14 links out; & a
Heiky 12 " " " N 87 W 44 " "

42.90 To a Heiky 15 in diam. Stands in the line.
80.00 Set a post for the cor of lws. 2 & 3.
Last 72 rods over 2nd rate Oak Land.

North Return Jul. 2 & 3 T. C. N. R. J. W. Harris's measurements.
27.26 Between the N. Boundary. 400 links West of the cor.
of lws. 34 & 35. T. N. R. J. W. and set a post for the cor.
" " 2 & 3. From which a
Oak 9 in diam. bears S 10 E. 10 links out; & a
Do. 14 " " S 82 E 68 " "

North Return Jul. 33 & 34. T. C. N. R. J. W.
1.14 To an Oak 12 in diam. Stands in the line.
28.00 To " " 20 " " " " "
40.00 Set a 7/4 post from which a
Heiky 14 in diam. bears S 27 W. 6 links out; & a
Do. 8 " " " N 75 E. 16 " "
55.50 To a Heiky 112 in diam. Stands in the line
80.00 Set a post for the cor of lws. 27, 28, 33 & 34 from which a
Heiky 15 in diam. bears S 33 W. 15 links out; & a
Oak 24 " " " N 71 E. 74 " "
Sund. 7th West Land; Timber Elm. 1/2. Last 72nd rods
Timber Clear.

Each On a Random line Return Jul. 27 & 34 T. C. N. R. J. W.

D. N. to N.R. N. 7th. 2nd M. Ind.

40.00 Set a trap 74 feet
 65.100 Prairie to Edge of line.
 79.60 Situated at the N + S line 22 miles South of the Post cor of lat.
 26. 27 34 35. Cor 2nd rate Oak Land.

West
 39.80 On the line between Lat. 27. 34. I. C. N.R. of W.
 Set apart for the cor of 1/4 Sec at ar. dist. with the line.
 from which, N. 1/4 Sec. 14 in. dist. from North 49 the north
 made a N. Oak. 24 " " " S. E. 54 " "
 79.60 To the Post cor of lat. 27. 28 33 34.

North
 12.34 Return Lat. 27 38 I. C. N.R. of W.
 To a
 35.85 To P. Oak. 36 in. dist. from the line.
 40.50 Set a 74 feet from which,
 N. Oak. 30 in. dist. from N. 7 N. 50 miles north; S.
 H. 33 " " " S. 24 N. 40 " "
 80.50 Set apart for the cor of lat. 21. 22. 27. 328 from which,
 N. 1/4 Sec. 15 in. dist. from N. 7 N. 29 miles north; S.
 N. Oak. 30 " " " S. 40 E. 75 " "
 Cor 2nd rate Oak Land.

East
 11.01 Return Lat. 22 + 27. I. C. N.R. of W.
 To a Prairie 5900 the miles.
 40.00 Set a trap 74 feet
 80.10 Situated at the N + S line 60 miles North of the Post
 cor. of lat. 22, 23. 26. 27

West
 40.05 On the line between Lat. 22 27 I. C. N.R. of W.
 Set a 74 Sec trap 74 feet at ar. dist. with the line from which
 a N. Oak. 26 in. dist. from N. 87 E. 108 miles north; S.
 H. 24 " " " N. 69 N. 80 " "
 80.10 To the Post cor of lat. 21. 22, 27. 28.

T. N. C. M. R. 7 W. 2nd Mer. Ind.

North Return Lat 21 + 22 T. C. M. R. 7 W. Feb 15. 1811

6.25 To a Heik 15 in. diam. in the line.

40.00 Set up a post from which

W Oak. 24 in. diam. beam. 31 W. 16 links north; 13

N Oak 36 " " " N 43 E 32 " "

72.68 To a W Oak 30 in. diam. stands in the line.

80.00 Set a post for the cor of Lat. 15. 16. 21 + 22 from which

W Oak. 24 in. diam. beam. N 14 W. 32 links north; 12

N Oak. " " " " S 58 E. 55 " "

Squad 2nd rate Timber Oak.

East On a Meridian line between Lat. 15 + 10 T. C. M. R. 7 W

40.00 Set up a post in a marsh.

80.00 Intersect the N 13 line in the marsh. cor of Lat. 14. 15 + 22

West Out the true line between Lat. 15 + 10. T. C. M. R. 7 W

40.00 Set the temp. 7/4 a post in the marsh.

80.00 To the post cor of Lat. 15 16. 21 + 22

North Return Lat 9 + 10 T. C. M. R. 7 W

20.00 Along the edge of the marsh; there the line goes into the marsh.

40.00 Set the 7/4 a post in the marsh

80.00 Cor of Lat. 3. 49 + 10 in the marsh.

East On a Meridian line between Lat. 3 + 10 T. C. M. R. 7 W.

40.00 Set the temp. 7/4 a post in marsh.

80.00 Intersect the N 13 line in the marsh 100 links north, north of the post cor of Lat. 2, 3 10 + 11.

West Out the true line between Lat. 3 + 10. T. C. M. R. 7 W

40.00 Set the temp. 7/4 a post in the marsh

80.00 To the post cor of Lat. 3. 49 + 10.

* The lines between Lat 15 + 22, + 15 + 16. See end of Somerships.

T. N. & N.R. N. 7th 2nd Mar. Sud.

North Return Sud 3124 T. 6. N.R. 7th
 40.00 Set the 1st support in the marsh.
 80.00 Set the post for the cor of cut 413 in the marsh.
 This run is all marsh.
 North Return Sud 3124 T. 6. N.R. 7th. By Kams
 This run is Swamp: not run.

North Return Sud 32133 T. 6. N.R. 7th
 2.00 Left Prairie
 27.68 To N.B. Oak. 30 in diam in the line
 40.00 Set a 1st support from which
 Maple 36 in diam. turn. N 25 W. 27 links north; V. or
 Elm. 18 " " " S 12 E. 25 " "
 61.00 To N.W. Oak. 24 in diam. Stand in the line
 80.00 Set a post for the cor of cut 2829 32 133 from which
 N.B. Oak. 24 in diam. turn. N 81 E 50 links north; V. or
 W. Oak. 18 " " " S 70 W 73 " "
 Sande 2nd rate; Timber Oak.

East On a Random line between Sud 28133 T. 6. N.R. 7th.
 20.00 Over prairie
 40.00 Set a temporary support
 80.94 Intersub the N 13 line 10 links North of the post cor.
 of Sud 2728 33 134
 Sande not 2nd rate;

West On the New line between Sud 28133 T. 6. N.R. 7th
 40.47 Set the temporary support at an arch in the New line from which
 an Elm. 16 in diam. turn. S 33 E 59 links north; V. or
 Hickory 14 " " " West 50 " "
 80.94 To the post cor of cut 2829 32 133.

North Return Sud 2829 T. 6. N.R. 7th

15.26 To a Hecks 20 in air in the air
 20.00 To Prairie 8 ch. mile,
 40.00 Set a 7/8 sap post from which a
 Hecks 14 in air. bears N 4 E 50 links north; 1/2 a,
 He. 20 " " " N 70 W 48 " "
 50.12 To a B Oak. — in air in the air
 80.00 Set a post for the cor of sec. 20. 21. 28 & 29 from which,
 W Oak. 30 in air. bears S 74 E 93 links north; 1/2 a,
 He. 24 " " " N 33 E 85 " "
 Cross 2nd rate Oak land.

East On a Random line between Sec. 21. 28. 76. A.R. 777
 40.00 Set a stump 1/4 sap post
 80.50 Intersect the N 43 line 50 links south of the post cor of sec.
 21. 22. 27 & 28. Oak land 2nd rate;

West On the true line between Sec. 21. 28. 76. A.R. 777
 40.25 To a B Oak. 6 in air. It stands for the cor of 1/4 sec at an angle
 on the true line.
 80.50 To the post cor of sec. 20. 21. 28 & 29.

North Return Sec 20 & 21. 76. A.R. 777
 3.70 To a B Oak. 36 in air. It stands in the air.
 40.00 Set a 7/8 sap post from which
 B Oak. 30 in air. bears N 30 W 48 links north; 1/2 a,
 He. 36 " " " S 11 E 70 " "
 49.58 To a W Oak. 15 in air. It stands in the air
 80.00 Set a post for the cor of sec. 16. 20. 17. & 21 from which,
 W Oak. 20 in air. bears S 51 W 99 links north; 1/2 a,
 Hickory 18 " " " N 65 E 56 " "
 Cross 2nd rate Oak land.

East On a Random line between Sec. 16 & 21 76. A.R. 777

T. N. O. M. N. 7 W. 2nd Mer. Sur.

40.00 Set a trap 1/4 mi. S. post
 80.00 Intersect the N & S line 50 links South of the post cor of
 Sur. 15. 16. 21. & 22
 Run 2nd rate Oak Land.

West On the true line between Sur. 16 & 21 T. 6. N. R. 7 W
 40.00 Set the trap 1/4 mi. S. post at av. dist. on the true line from
 which a N. Oak. 22 in. dia? trans. S 36 W. 30 the dist.
 under No. 22 " " N 32 E. 45 " "
 80.00 To the post cor. of Sur. 16. 17. 20 & 21.

North Return Sur. 16 & 17 T. 6. N. R. 7 W
 15.05 To a B. Oak. 18 in. dia? stand in the line.
 40.00 Set a trap 1/4 mi. S. post from which a
 N Oak. 20 in. dia? trans. North 30 links dist; 15
 No. 18 " " " S 58 W 39 " "
 50.00 Set a post for the cor. of Sur. 9. 8. 17. & 16 from which a
 N Oak 24 in. dia? trans. S 44 E. 48 links dist; 15
 No. 18 " " " S 26 W 77 " "
 Land 2nd rate; Timber Oak.

East On a Remorse line between Sur. 9 & 16 T. 6. N. R. 7 W
 40.00 Set a trap 1/4 mi. S. post.
 50.00 To a spruce 16.50. ch? under
 66.50. To a spruce 20 links from corner S.
 80.80 Intersect the N & S line at the post cor of Sur. 9. 10. 15 & 16.
 Land 2nd rate.

West On the true line between Sur. 9 & 16 T. 6. N. R. 7 W.
 40.40 Set the trap 1/4 mi. S. post at av. dist; make the cor of
 1/4 mi. on a N Oak 24 in. dia?
 80.80 To the post cor of Sur. 8. 9. 16. & 17.

67

T. N. C. A. R. N. 7 W. 2nd M. Ind.

July 23 1811.

North Return Jul 8 & 9. T. C. A. R. 7 W.
 3.37 To a B. Oak. 36 in. dia. in the river.
 36.00 To a Prairie 20. ch. wide
 40.00 Set a $\frac{1}{4}$ l. post from which on
 E. line 18 in. dia. trees N 3 W 185 links north; 49
 Do. 20 " " " N. E. 150 " "
 69.89 To a maple. 20 in. dia. stands in the river.
 80.00 Set a post for the cor. of sec. 4 5. 8 & 9 from which on
 W Oak. 20 in. dia. trees. S 84 W. 32 links north; 49
 Do. 12 " " " N 58 E. 14 " "
 Land mostly mt.

Each Oak Run line between Sec 4 & 9 T. C. A. R. 7 W.
 40.00 Set a trip $\frac{1}{4}$ l. post
 65.00 To open marsh
 87.00 Set in the marsh. corner of sec 3. 4. 9 & 10
 This line all mt. land.

West On the true line between Sec. 4 & 9. T. C. A. R. 7 W.
 40.00 Set the trip $\frac{1}{4}$ l. post at an ditch on the true line
 from which a E. line 12 in. dia. trees. N 76 W 31 links north
 under a B. Oak, 3 " " N 52 E. 19 " "
 80.00 Set the post cor. of sec. 4. 5. 8 & 9.

North Return Sec. 4 & 5 T. C. A. R. 7 W.
 20.50 To a B. Oak. 24 in. dia. in the river.
 40.00 Set a $\frac{1}{4}$ l. post from which on
 W Oak. 20 in. dia. trees. S 3 E. 69 links north; 15
 Keist 12 " " " N 3 W 90 " "
 53.68 To an E. line 12 in. dia. stands in the river.
 80.00 To post cor. of sec. 4 & 5.
 Land 2nd rate Limited Oak. & s.

T. N. 6. N.R. N. of W 2nd Mer. Ind.

North From the 1st to post between Sec. 4 & 5 T. 6. N. R. 7 W.
by W. Harris

- 26.76 Intersected the A Boundary 8.31 links north of the
corner of Sec. 32 & 33. T. 7. N. R. 7 W. and set a post
for the corner of Sec. 4 & 5 from which
W. Oak 18 in. diam. bears S 8 E. 125 links north; & 9
Hickory 14 " " S 59 W 132 " "
This line was measured from a W Oak bearing
tree; no post to be found
This W Oak tree bears from the 1st post cor. S 3 E 69
links north; Note by Chief Clerk

comp. paid
page 123

- North Between Sec. 31 & 32 T. 6. N. R. 7 W. Comp?
5.00 Left the open marsh.
8.67 To an ash. 18 in. diam. in the line.
44.00 Set a 1st to post from which an
Ash. 15 in. diam. bears N 40 W. 10 links north; & a
W Oak. 18 " " " N 65 E. 10 " "
44.00 To an Elm. — in diam. in the line.
80.00 Set a post for the corner of Sec. 29, 30, 31 & 32 from which
W Oak. 18 in. diam. bears N 63 E 49 links north; &
a H. 12 " " " N 31 W. 123 " "
Not found;

- East On a Random line between Sec. 29 & 32 T. 6. N. R. 7 W.
40.00 Set a timber 1st to post July 11th 1811
80.00 Intersect the N 7 S line 6 links north of the post
corner of Sec. 28, 29, 32 & 33.

- West On the true line between 29 & 32 T. 6. N. R. 7 W.
40.00 A W Oak 30 in. diam. stands at an angle in the line
line for 1st to post.
80.00 To the post corner of Sec. 29 30 31 & 32

T. N. 6. R. 7 W 2nd Mer. Sec.

69

West Return Sur 30 & 31. T. 6. R. 7 W Feb 13th 1811
 15.00 To a Brook 15 miles wide, Course S.
 40.00 Set a 7th support from which a
 W Oak 20 in diam. bears S 86 E. 150 links dish;
 66.00 Intersect the West Boundary and set a post for the
 cor of sec. 30 & 31 from which a
 W Oak 18 in diam. bears S 74 E. 477 links dish;
 Good good prairie

North Return Sur 29 & 30 T. 6. R. 7 W
 16.19 To a W Oak 12 in diam. in the line.
 40.00 Set a 7th support from which a
 W Oak 12 in diam. bears N 9 W. 40 links dish; &
 W Oak 12 " " " N 80 E. 34 " "
 49.20 To a W Oak 18 in diam. in the line.
 80.00 Set a post for the cor of sec. 19 20 29 & 30 from which
 a W Oak 12 in diam. bears S 54 E. 22 links dish;
 a W Oak 18 " " " S 36 W. 17 " "
 Now 2nd rate Oak land.

East Run across line between Sur 20 & 29 T. 6. R. 7 W
 40.00 Set a transp. 7th support
 80.50 Intersect the N 7 S line 40 miles North of the post
 cor of sec. 20 21 28 & 29.
 2nd rate Oak Land

West On the line between Sur 20 & 29 T. 6. R. 7 W
 40.25 Set the transp. 7th support at av. dish. on the line from
 which a W Oak 30 in diam. bears S 74 W. 49 links dish
 and a W Oak 26 " " " N 40 E. 21 " "
 80.50 To the post cor. of sec. 19 20, 29 & 30

West Return Sur 19 & 30 T. 6. R. 7 W

T. N. 6. N.R. N. 7/11. 2nd Ch. Sec.

29.07 To a Hickory — in dirt
 33.00 To a Prairie 30 ch. wide,
 40.00 Set the 1/4 sec. post in prairie
 52.50 To a Brook 15 links wide. Corner of
 66.00 Intersect the West Boundary and set a post for the
 cor. of sec. 19 & 20 from which
 N Oak. 36 in. dirt. bears N 21 E. 35 links dist; & S
 W Oak. 24 " " " S 52 W. 10 " "
 Land of prairie

North Return Sec. 19 & 20 T. 6. N.R. 7 W.
 1.75 To a N Oak. 24 in. dirt stands in the line.
 40.00 Set a 1/4 sec. post from which
 N Oak. 20 in. dirt. bears N 73 E. 54 links dist; & a
 — 22 " " " N 88 W. 44 " "
 65.95 To a N Oak. 18 in. dirt in the line.
 80.00 Set a post for the cor. of sec. 17, 18, 19 & 20 from which
 a N Oak. 18 in. dirt. bears S 50 E. 65 links dist; &
 " Ac 36 " " " S 89 W. 70 " "
 2nd rate Oak. land.

East On a Random line between Sec. 17 & 20 T. 6. N.R. 7 W.
 40.00 Set a temporary 1/4 sec. post
 81.08 Intersect the N 73 line 25 links north of the cor. of
 Sec. 16, 17, 20 & 21.
 Lands 2nd rate; Timber Oak.

West On the true line between Sec. 17 & 20 T. 6. N.R. 7 W.
 40.54 A Hickory 6 in. dirt stands at av. dist. on the true line
 for the cor. of 1/4 sec.
 81.08 To the post cor. of Sec. 17, 18, 19 & 20.

West Return Sec. 18 & 19 T. 6. N.R. 7 W.

71

T. C. A. R. S. 7/11. Q. M. S. S. S.

0.70 A. W. Oak 36 in dia. Stands in the line.
 13.98 A. W. Oak 20 " " " " " "
 40.00 Set a 1/4 report from which
 43 Oak. 36 in dia. beam. S 36 N. 80 links each; 4,
 Nuts 18 " " " N 33 N. 150 " "
 42.75 To A. W. Oak. 18 in dia. Stands in the line.
 65.70 Intercept the West Boundary and set a post for the
 18+19 from which
 43 Oak. 12 in dia. beam. N 51 E 50 links each; 8,
 Nuts 18 " " " S 44 E. 20 " "
 Run 2nd rate; timber Oak.

North Return Sur. 17 & 18. T. C. A. R. 7/11.

28.93 To a Nuts. — in dia.
 40.00 Set a 1/4 report from which
 44 Oak. 14 in dia. beam. S 48 E 36 links each; 1,
 Nuts 18 " " " S 70 N. 65 " "
 46.80 To a Nuts 18 in dia. Stands in the line
 80.00 Set a post for the cor. of Sur. 7/8, 17 & 18 from which
 Nuts 18 in dia. beam. N 68 E 30 links each; 4,
 Nuts 12 " " " S 38 N. 33 " "
 Run 2nd rate; timber Oak.

East On a Random line between Sur. 8 & 17 T. C. A. R. 7/11

40.00 Set a trip 1/4 report.
 80.50 Intercept the N. S. line 10 links South of the post cor.
 of Sur. 8, 9, 16 & 17.
 Run 2nd rate. Oak land. Feb. 24. 1811.

West On the line between Sur. 8 & 17. T. C. A. R. 7/11.

40.25 Set the trip 1/4 report at an. dia. on the line from
 which 43 Oak. + in dia. beam. S 89 N. 89 links each,
 under 44 Oak. — " " " N 4 N. 105 " "

T. No 6. A.R. No 7 W. 2nd Mer. Land.

8050 To the post con. of sec. 7, 8, 17 & 18.

North Return Sec. 7, 18. T. 6. N. R. 7 W.

180 To a B. Oak. 30 in. diam. in the line.

31.80 " " Hickory 18 " " " "

40.00 Set a 7th post from which a

Sum. 12 in. diam. bears S. 42 W. 37 links each; & a

Hickory 18 " " " N 34 W 41 " "

43.05 To a B. Oak. & prairie 17 ch. wide.

65.60 Intersub. the West Boundary and set a post for the con. of sec. 7, 18 from which a

Hickory 14 in. diam. bears S 48 E. 16 links each; & a

Log. 14 " " " N 61 E. 56 " "

Land 2nd rate; Timber Oak.

North Return Sec. 7, 18. T. 6. N. R. 7 W.

14.60 To a W. Oak. 20 in. diam. in the line

40.00 Set a 7th post from which a

Hickory 15 in. diam. bears S 52 E. 17 links each; &

a Log. 20 " " " S 69 W. 5 " "

42.00 To a Prairie 15 ch. wide.

65.00 To a W. Oak 36 in. diam. in the line.

69.00 To B. Water 40 links wide, Corner E.

80.00 Set a post for the con. of sec. 5, 6, 7 & 8. from which a

B. Oak. 20 in. diam. bears S 48 W. 144 links each; & a

W. Oak. 10 " " " S 66 E. 62 " "

Land 2nd rate; Timber Oak.

East On a Random line between Sec. 5 & 8. T. 6. N. R. 7 W.

40.00 Cross prairie

80.20 Intersub. the N. & S. line 20 links N of the post con. of sec.

4, 5, 8, & 9.

Land 1st rate.

T. N. C. N. R. N. 777. 2nd Men. Ind.

73

West | Cut the line between Sec. 5 & 8 T. 6. N. R. 777.
40.10 | Set the trap 7 1/4 to post at cr. dish on the line from
which in Elm 14 in. dia. bent. N 62 W. 28 birds dish;
mud. No. 12 " " " " 96 W 60 " "
50.20 | To the post cr. of Sec. 5, 6, 7 & 8.

West | Return Sec. 6 & 7 T. 6. N. R. 777
2.00 | To Wood land.
10.60 | To Brook. 15 miles wide. Corner S. E.
16.00 | Left the Brook; Comes from the North.
16.20 | To a Hickory 15 in. dia. in the line.
20.00 | To a Prairie 25 ch. wide,
40.00 | Set the 7/4 to post in the prairie
47.58 | To a Hickory 20 in. dia. stands in the line.
65.20 | Intersect the West Boundary 31.85 ch. North of the
cr. of Sec. 1 & 10 T. 6. N. R. 877 made set a post for the
" " " 6 & 7 from which
Hickory 18 in. dia. bent. S 22 E. 36 birds each; 89
No. 15 " " " " N 35 E. 118 " "

North | Return Sec. 5 & 6 T. 6. N. R. 777.
10.00 | Left Prairie
11.31 | To a W Oak. 24 in. dia. in the line.
38.81 | " " Hickory 18 " " " " "
40.00 | Set a 7/4 to post from which
Hickory 18 in. dia. bent. N 66 E. 18 birds each; 89
No. 15 " " " " S 30 W. 16 " "
49.00 | To a Prairie 17 ch. wide,
80.00 | Set a post for the cr. of Sec. 5 & 6.
On 2nd rate Oak land.
North | Return Sec. 5 & 6 T. 6. N. R. 777. by Harris.
From the 1/4 Sec. cr. between Sec. 5 & 6
16.00 | Enter Prairie

Com

T. T. No 6. N.R. 7 W 2nd (Mw. Ind^s)

24.00 Cut out the N.B boundary 10.91 ch. West of the
 post cor of lot 31 & 32 T. 7. N.R. 7 W and set a /
 " " " 576. from which
 Hickory 14 in dia. bears N 3 1/2 W 207. links dist;
 Lands 3rd rate.

"The following lines were omitted by mistake in their
 proper place.

East Return Sur 15722 T. 6. N.R. 7 W On Main line
 40.00 Set a trumpet 7/4 2nd post
 79.50 Intersub. the N.B line 130 links North of the post cor.
 of lots 14.15, 22 & 23.
 Oak gate Oak land.

West On the true line Return Sur 15722 T. 6. N.R. 7 W
 39.75 Set the trumpet 7/4 2nd post at av. dist on the true line from
 which a Hickory 18 in dia. bears N 49 W 18 links dist;
 under 12.18 " " " N 74 E 55 " "
 79.50 To the post cor of lots 15.16. 21 & 22

North Return Sur 15716 T. 6. N.R. 7 W Feb'y 16. 1811.
 10.05 To a W Oak. 30 in dia. Stands in the line.
 40.00 A Hickory 14 in dia. Stands for cor off 7/4 line.
 67.28 To a B. Oak. 18 in dia. Stands in the line.
 74.00 To a Marsh
 80.00 Set a post for the cor off lots 9.10.15 & 16. From which a
 Oak 28 in dia. bears N 16 E 36 links dist; 8 a,
 B. Oak 10 " " " S 49 W 53 " "
 The above post stands in the marsh. Oak gate Oak land
 Surveyed by
 David Sullivan. D^y

I. N^o 6. N. R. N^o 77. 2nd Mr. D^r 75

I certify that the foregoing Transcript of the fuger
note of I. N^o 6. N. R. N^o 77. 2nd Mr. D^r
has been compared with the Original note in the
Office and found to be correct.

Genl. D^r's Office
Cm. P. Dec. 26. 1841

J. E. D. Cairnes
Sur. Genl.